

NOTES ON COMPLETION OF APPLICATION FOR STATUTORY CONSENT

Before any aid to navigation can be established, altered or disestablished consent in the form of Statutory Consent under the Merchant Shipping Act must be obtained from the Commissioners of Irish Lights. In most cases the application for consent must be forwarded through the relevant Local Lighthouse Authority.

The purpose of these notes is to assist aids to navigation providers in the completion of the Statutory Consent application form. The form is intended to be comprehensive but not exhaustive. Where appropriate, additional information or remarks should be provided on a separate sheet.

Further detailed information on aids to navigation provision is available in the Aids to Navigation Guide (Navguide) and the Maritime Buoyage System (MBS) published by the International Association of Marine Aids to Navigation and Lighthouse Authorities (IALA).

Where further assistance is required please contact Irish Lights eNavigation and Maritime Services Department on 01 2715400 or email info@irishlights.ie.

OPENING PARAGRAPH

The wording of the form is for applications to establish, disestablish or alter aids to navigation. The non relevant wording should be deleted.

For aids to navigation in Northern Ireland the relevant legislation is section 199 (2) of the Merchant Shipping Act 1995, for aids to navigation in the Republic of Ireland the relevant legislation is section 653 (2) of the Merchant Shipping Act 1894, the non relevant wording should be deleted.

A brief explanation should be given of the purpose for which the work is being carried out.

NAME OF AID

A relevant and distinctive name or number should be assigned to each aid. Where possible this name should be displayed on the aid.

PORT AREA

The port or area which the aid will be located should be indicated. For offshore aids enter 'offshore'.

LATITUDE AND LONGITUDE OR NORTHING AND EASTING, DATUM

Latitude and Longitude are the preferable format for submitting coordinates and should be expressed in degrees and decimals of a minute to three places of decimals. For example the WGS84 position of the Fastnet Rock Lighthouse is 51° 23.362' N 09° 36.184' W.

TYPE OF AID

Types of aid include; lighthouses, beacons, buoys, leading lights, Racons, AIS.

SUBTYPE

The subtype should define the designation of the aid, e.g. Port, Starboard, Cardinal, Special Mark, Leading Light, PEL etc.

IALA CATEGORY

IALA Category refers to the importance of a particular aid within the aids to navigation system based on the assessment of risk by the provider / Local Lighthouse Authority.

Category 1 aids are considered to be of vital navigational significance and are required to meet a minimum average availability of 99.80%.

Category 2 aids are considered to be of important navigational significance and are required to meet a minimum average availability of 99.00%.

Category 3 aids are considered to be of necessary navigational significance and are required to meet a minimum average availability of 97.00%.

CHARACTER AND RANGE

For lighted aids the flash character and its breakdown should be given. For example the character of a light which flashes red every 5 seconds with a flash length of 0.3 seconds would be described as Fl R 5s (fl 0.3, ec 4.7).

The range should be the nominal range expressed in nautical miles. Nominal range is the luminous range where the meteorological visibility is 10 nautical miles, which is equivalent to a transmission factor of $T = 0.74$.

In general statutory consent will not be granted for lights with ranges of less than 2.0 miles.

RADIO AIDS AND TOPMARK

Radio Aids which may be provided include Racons, Automatic Identification Systems, Radar Target Enhancers and Local Correction Systems. Full details should be given including manufacturer, frequencies, coding and range. It should be noted that in addition to Irish Lights

Statutory Consent any transmitting device requires a radio licence from the relevant authority.

The shape and colour of the topmark should be fully described.

HEIGHT, DIMENSIONS, POWER SOURCE, WEIGHT AND MOORINGS

The height in metres above Mean High Water Springs should be stated separately to the actual dimensions of the structure. For a floating aid this will be the distance from the waterline to the focal plane of the light or the top of the daymark if unlighted. For a land based aid the height above MHWS of the location on which the structure is placed will have to be added to the distance from the base of the structure to the focal plane / top of daymark.

The dimensions of the actual structure should be given in metres or indicated on a drawing as appropriate.

Types of power source include mains, mains with battery backup, solar, wind, and battery.

For floating aids the weight of the aid, not including moorings, should be given along with a full description of the mooring including the weight of the various elements involved.

CONTACTS, SIGNATURE, AUTHORITY AND PROVIDER

Main and local contact details should be given to facilitate a timely response to any reports that the aid has become defective or to arrange inspections / audits.

The application must be signed by a representative of the Local Lighthouse Authority seeking consent for the aid.

The Local Lighthouse Authority seeking consent and the provider of the aid should be clearly identified. The provider will be responsible for the provision and ongoing maintenance of the aid.